



## SAFETY DATA SHEET according to Regulation (EU) 2015/830

Page 1/10

### Pine Acid Toilet Cleaner

Revision 12  
Revision date 2020-09-23

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

##### 1.1. Product identifier

Product name	Pine Acid Toilet Cleaner
Product code	QAFS022

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Product Use	[SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen); [PC35] Washing and cleaning products (including solvent based products);
Description	Toilet Cleaner.

##### 1.3. Details of the supplier of the safety data sheet

Company	Superfine Manufacturing Ltd
Address	Orchardbank Industrial Estate Forfar Angus Scotland DD8 1TD
Web	www.superfine.co.uk
Telephone	Tel: 01307 463538
Fax	Fax: 01307 468505
Email	nigel@superfine.co.uk
Email address of the competent person	nigel@superfine.co.uk

##### 1.4. Emergency telephone number

Emergency telephone number	01307 463538 8.30am to 17.00pm  National Poisons Information Service: For medical advice or information you should contact your GP or NHS 111 (or NHS 24 in Scotland) on 111 (for 24 hour health advice)  If you are a healthcare professional with an enquiry please visit <a href="http://www.TOXBASE.org">www.TOXBASE.org</a>
----------------------------	--

#### SECTION 2: Hazards identification

##### 2.1. Classification of the substance or mixture

2.1.2. Classification - EC 1272/2008	EUH208; Met. Corr. 1: H290; Skin Corr. 1B: H314;
--------------------------------------	--

##### 2.2. Label elements

###### Hazard pictograms



## Pine Acid Toilet Cleaner

Revision 12  
Revision date 2020-09-23

## 2.2. Label elements

<b>Signal Word</b>	Danger
<b>Hazard Statement</b>	EUH208 - Contains benzisothiazolinone, alpha-pinene. May produce an allergic reaction. Met. Corr. 1: H290 - May be corrosive to metals. Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.
<b>Precautionary Statement: Prevention</b>	P280 - Wear protective gloves/protective clothing/eye protection/face protection.
<b>Precautionary Statement: Response</b>	P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 - Immediately call a POISON CENTER/doctor/ .
<b>Precautionary Statement: Storage</b>	P405 - Store locked up.
<b>Precautionary Statement: Disposal</b>	P501 - Dispose of contents/container to an approved disposal site, in accordance with local regulations.
<b>SUPPLEMENTAL HAZARD INFORMATION</b>	Ingredients as required by Regulation (EC) No 648/2004: Orthophosphoric Acid, Less than 5% Non-ionic Surfactants, Less than 5% Cationic Surfactants, Benzisothiazolinone, Parfum.

## 2.3. Other hazards

<b>Other hazards</b>	This mixture is not classified as PBT or vPvB according to current EU criteria.
----------------------	---

## SECTION 3: Composition/information on ingredients

## 3.2. Mixtures

## EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
phosphoric acid ... %, orthophosphoric acid ... % . . (Orthophosphoric acid)	015-011-00-6	7664-38-2	231-633-2	01-2119485924-24	10 - 20%	Skin Corr. 1B: H314;
sodium hydroxide	011-002-00-6	1310-73-2	215-185-5	01-2119457892-27	0 - 0.5%	Skin Corr. 1A: H314;
2,6,6-Trimethylbicyclo[3.1.1]hept-2-ene (Alpha-Pinene)		80-56-8	201-291-9		0 - 0.5%	Flam. Liq. 3: H226; Asp. Tox. 1: H304; Skin Irrit. 2: H315; Skin Sens. 1: H317; Aquatic Acute 1: H400; Aquatic Chronic 1: H410;
1,7,7-Trimethylbicyclo[2.2.1]heptan-2-one		464-49-3	207-355-2		0 - 0.5%	Flam. Sol. 2: H228; Acute Tox. 4: H302+H332; STOT SE 2: H371;
Alcohols C11- 15 Secondary Ethoxylated		68131-40-8			0.5 - 1%	Acute Tox. 4: H302+H332; Skin Irrit. 2: H315; Eye Dam. 1: H318;
Hydrocarbons, a natural component of essential: oils - alicyclic and aliphatic					0 - 0.5%	Flam. Liq. 3: H226; Asp. Tox. 1: H304;
Octan-2-one		111-13-7	203-837-1		0 - 0.5%	Flam. Liq. 3: H226;
1H-Imidazole-1-ethanol,4,5-dihydro,-2-C15-C17 unsaturated alkyl derivatives		61791-39-7	263-171-2	01-2119931039-40	0 - 0.5%	Acute Tox. 4: H302; Skin Corr. 1B: H314; Aquatic Chronic 1: H410;
6,6-Dimethyl-2-methylenebicyclo[3.1.1]heptane		127-91-3	204-872-5		0 - 0.5%	Flam. Liq. 3: H226; Asp. Tox. 1: H304; Skin Irrit. 2: H315; Skin Sens. 1: H317; Aquatic Chronic 1: H410;
isobutyl acetate	607-026-00-7	110-19-0	203-745-1		0 - 0.5%	Flam. Liq. 2: H225;

## Further information

<b>Product Shelf Life</b>	RECOMMENDED SHELF LIFE 1 YEAR FROM DATE OF DELIVERY.
---------------------------	--

# Pine Acid Toilet Cleaner

Revision 12

Revision date 2020-09-23

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

Inhalation	Move the exposed person to fresh air.
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Contact lenses should be removed.
Skin contact	Remove contaminated clothing. Wash off immediately with plenty of soap and water.
Ingestion	DO NOT INDUCE VOMITING. Rinse mouth thoroughly. Drink plenty of water to dilute ingested product.

### 4.2. Most important symptoms and effects, both acute and delayed

Inhalation	Causes burns.
Eye contact	Causes burns. Risk of serious damage to eyes.
Skin contact	Causes burns.
Ingestion	Causes burns.

### 4.3. Indication of any immediate medical attention and special treatment needed

Inhalation	Move the exposed person to fresh air. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Seek medical attention. Show this safety data sheet to the doctor in attendance.
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Contact lenses should be removed. Seek medical attention. Show this safety data sheet to the doctor in attendance.
Skin contact	Remove contaminated clothing immediately. Rinse immediately with plenty of water. Seek medical attention. Show this safety data sheet to the doctor in attendance.
Ingestion	Drink 1 to 2 glasses of water. Seek medical attention. Show this safety data sheet to the doctor in attendance.

### General information

	If you feel unwell, seek medical advice (show the label where possible). Treat symptomatically.
--	---

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

	This product is not flammable. Use fire-extinguishing media appropriate for surrounding materials.
--	--

### 5.2. Special hazards arising from the substance or mixture

	Corrosive product with a low pH.
--	----------------------------------

### 5.3. Advice for firefighters

	Fire fighters should wear self contained positive pressure breathing apparatus (SCBA) and full turnout gear.
--	--

### Further information

	In the event of a fire and/or explosion do not breath fumes. Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
--	---

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

	Wear suitable protective equipment.
--	-------------------------------------

### 6.2. Environmental precautions

	Advise local authorities if large spills cannot be contained.
--	---

### 6.3. Methods and material for containment and cleaning up

	For large spills: Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water. For small spills: Flush
--	---

# Pine Acid Toilet Cleaner

Revision 12  
Revision date 2020-09-23

## 6.3. Methods and material for containment and cleaning up

down the drain with plenty of water.

## 6.4. Reference to other sections

See section 2, 7, 8, 13 for further information.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Avoid contact with eyes and skin. Do not breathe vapours or spray mist. Adopt best Manual Handling considerations when handling, carrying and dispensing.

### 7.2. Conditions for safe storage, including any incompatibilities

Store in a cool, dry area. Keep container tightly closed. Keep out of the reach of children. Store in original container.

### 7.3. Specific end use(s)

Toilet Cleaner.

### Suitable packaging

Plastic containers.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

Occupational exposure controls.

#### 8.1.1. Exposure Limit Values

## Pine Acid Toilet Cleaner

Revision 12

Revision date 2020-09-23

## 8.1.1. Exposure Limit Values

1,1'-Oxydibenzene (Diphenyl ether (vapour))	WEL 8-hr limit ppm: 1 WEL 15 min limit ppm: - WEL 8-hr limit mg/m3 total inhalable dust: - WEL 8-hr limit mg/m3 total respirable dust: -	WEL 8-hr limit mg/m3: 7.1 WEL 15 min limit mg/m3: - WEL 15 min limit mg/m3 total inhalable dust: - WEL 15 min limit mg/m3 total respirable dust: -
2,6,6-Trimethylbicyclo[3.1.1]hept-2-ene (Alpha-Pinene)	WEL 8-hr limit ppm: 25 WEL 15 min limit ppm: 50 WEL 8-hr limit mg/m3 total inhalable dust: - WEL 8-hr limit mg/m3 total respirable dust: -	WEL 8-hr limit mg/m3: 140 WEL 15 min limit mg/m3: 300 WEL 15 min limit mg/m3 total inhalable dust: - WEL 15 min limit mg/m3 total respirable dust: -
6,6-Dimethyl-2-methylenebicyclo[3.1.1]heptane	WEL 8-hr limit ppm: 25 WEL 15 min limit ppm: 50 WEL 8-hr limit mg/m3 total inhalable dust: - WEL 8-hr limit mg/m3 total respirable dust: -	WEL 8-hr limit mg/m3: 140 WEL 15 min limit mg/m3: 300 WEL 15 min limit mg/m3 total inhalable dust: - WEL 15 min limit mg/m3 total respirable dust: -
isobutyl acetate	WEL 8-hr limit ppm: 150 WEL 15 min limit ppm: 187 WEL 8-hr limit mg/m3 total inhalable dust: - WEL 8-hr limit mg/m3 total respirable dust: -	WEL 8-hr limit mg/m3: 724 WEL 15 min limit mg/m3: 903 WEL 15 min limit mg/m3 total inhalable dust: - WEL 15 min limit mg/m3 total respirable dust: -
phosphoric acid ... %, orthophosphoric acid ... % . (Orthophosphoric acid)	WEL 8-hr limit ppm: - WEL 15 min limit ppm: - WEL 8-hr limit mg/m3 total inhalable dust: - WEL 8-hr limit mg/m3 total respirable dust: -	WEL 8-hr limit mg/m3: 1 WEL 15 min limit mg/m3: 2 WEL 15 min limit mg/m3 total inhalable dust: - WEL 15 min limit mg/m3 total respirable dust: -
sodium hydroxide	WEL 8-hr limit ppm: - WEL 15 min limit ppm: - WEL 8-hr limit mg/m3 total inhalable dust: - WEL 8-hr limit mg/m3 total respirable dust: -	WEL 8-hr limit mg/m3: - WEL 15 min limit mg/m3: 2 WEL 15 min limit mg/m3 total inhalable dust: - WEL 15 min limit mg/m3 total respirable dust: -

DNEL: Derived no-effect level.

## Exposure Pattern - Workers

2,6,6-Trimethylbicyclo[3.1.1]hept-2-ene	Long-term - inhalation - Systemic effects 5.98 mg/m <sup>3</sup>
sodium hydroxide	Acute inhalation - Local effects 2 mg/m <sup>3</sup> Acute dermal - Local effects 2 mg/kg Long-term - inhalation - Local effects 1 mg/m <sup>3</sup>

## Exposure Pattern - General population


2,6,6-Trimethylbicyclo[3.1.1]hept-2-ene	Long-term - inhalation - Systemic effects 1.06 mg/m <sup>3</sup> Long-term - oral - Systemic effects 0.31 mg/kg
sodium hydroxide	Long-term - inhalation - Local effects 1 mg/m <sup>3</sup>

## Pine Acid Toilet Cleaner

Revision 12

Revision date 2020-09-23

## 8.2. Exposure controls

	
	Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid contact with skin and eyes. Handle in accordance with good industrial hygiene and safety practice. Use appropriate personal protective equipment. Wear suitable protective clothing and eye/face protection.
8.2.1. Appropriate engineering controls	Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapours below their respective threshold limit value. Ensure eyewash stations and safety showers are close to the workstation location.
Eye / face protection	Avoid contact with eyes. If splashes are likely to occur, wear: safety glasses with side-shields. Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Wear chemical splash goggles. Personal protective equipment for eye and face protection should comply with European Standard EN166.
Skin protection - Handprotection	Rubber gloves. Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer.
Respiratory protection	No personal respiratory protective equipment normally required. In case of insufficient ventilation wear suitable respiratory equipment.
8.2.3. Environmental exposure controls	Prevent further leakage or spillage if safe to do so.

## SECTION 9: Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

Appearance	Liquid
Colour	Clear
Odour	Characteristic
Odour threshold	No data available
pH	0.3 - 2
Melting point	No data available
Initial boiling point	No data available
Flash point	No data available
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Vapour pressure	No data available
Vapour density	No data available
Relative density	1.068 - 1.076 g/cm <sup>3</sup>
Partition coefficient	No data available
Autoignition temperature	No data available
Viscosity	< 400 centipoise
Explosive properties	No data available
Oxidising properties	No data available
Solubility	Soluble in water

## 9.2. Other information

## Pine Acid Toilet Cleaner

Revision 12  
Revision date 2020-09-23

## 9.2. Other information

Conductivity	No data available
Surface tension	No data available
Gas group	No data available
Benzene Content	No data available
Lead content	No data available
VOC (Volatile organic compounds)	No data available

## SECTION 10: Stability and reactivity

## 10.1. Reactivity

Stable under normal conditions. No specific reactivity hazards associated with this product.

## 10.2. Chemical stability

Stable under normal conditions. No particular stability concerns.

## 10.3. Possibility of hazardous reactions

Strong acids. Strong oxidising agents.

## 10.4. Conditions to avoid

Protect from frost. Avoid storing in direct Sun Light.

## 10.5. Incompatible materials

Strong acids. Strong oxidising agents.

## 10.6. Hazardous decomposition products

No Hazardous decomposition products when stored and handled correctly.

## SECTION 11: Toxicological information

## 11.1. Information on toxicological effects

Acute toxicity	This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP).
	based on available data the classification criteria are not met.
	Oral ATE = >10,000 mg/kg.
	Dermal ATE = >10,000 mg/kg.
	Inhalation - Vapours ATE = >10,000 mg/l. Inhalation - Dust/Mist ATE = 105.99 mg/l.
Skin corrosion/irritation	Skin Corr. 1A: H314 - Causes severe skin burns and eye damage. Extreme pH - $\leq 2.0$ .
Serious eye damage/irritation	Causes serious eye damage.
Respiratory or skin sensitisation	based on available data the classification criteria are not met.
Germ cell mutagenicity	based on available data the classification criteria are not met.
Carcinogenicity	based on available data the classification criteria are not met.
Reproductive toxicity	based on available data the classification criteria are not met.
STOT-single exposure	based on available data the classification criteria are not met.
STOT-repeated exposure	based on available data the classification criteria are not met.
Aspiration hazard	based on available data the classification criteria are not met.

## 11.1.2. Mixtures

No data available.

## 11.1.3. Hazard Information

No data available.

## 11.1.4. Toxicological Information

## Pine Acid Toilet Cleaner

Revision 12  
Revision date 2020-09-23

## 11.1.4. Toxicological Information

1H-Imidazole-1-ethanol,4,5-dihydro,-2-C15-C17 unsaturated alkyl derivatives	Oral Rat LD50: 947mg/kg	
2,6,6-Trimethylbicyclo[3.1.1]hept-2-ene	Oral Rat LD50: 3500 mg/kg	
6,6-Dimethyl-2-methylenebicyclo[3.1.1]heptane	Dermal Rat LD50: 133848.9mg/kg	Oral Rat LD50: 37287.23mg/kg

## SECTION 12: Ecological information

## 12.1. Toxicity

1H-Imidazole-1-ethanol,4,5-dihydro,-2-C15-C17 unsaturated alkyl derivatives	Fish LC50/96h: 0.6300 mg/l	
sodium hydroxide	Daphnia LC50/48h: 40 - 240 mg/l Bluegill sunfish LC50/96h: 125 mg/l	Rainbow trout LC50/96h: 45.5 mg/l Guppy LC50/96h: 33 - 189 mg/l

## 12.2. Persistence and degradability

	Substance biodegrades at a moderate rate and inherently biodegradable according to the OECD guide lines.
--	--

## 12.3. Bioaccumulative potential

	The product is not bioaccumulating.
--	-------------------------------------

## Partition coefficient

	Pine Acid Toilet Cleaner No data available	sodium hydroxide No data available
--	--	------------------------------------

## 12.4. Mobility in soil

	This product is soluble in water.
--	-----------------------------------

## 12.5. Results of PBT and vPvB assessment

	This mixture is not classified as PBT or vPvB according to current EU criteria.
--	---

## 12.6. Other adverse effects

	No data available.
--	--------------------

## SECTION 13: Disposal considerations

## 13.1. Waste treatment methods

	Dispose of waste and residues in accordance with local authority requirements.
--	--

## General information

	Dispose of in compliance with all local and national requirements.
--	--

## Disposal of packaging

	Do NOT reuse empty containers. Empty containers can be sent to landfill after cleaning, if in compliance with local and national regulations.
--	---

## SECTION 14: Transport information

## Hazard pictograms

	
--	---



## Pine Acid Toilet Cleaner

Revision 12

Revision date 2020-09-23

<b>14.1. UN number</b>	
	UN1760
<b>14.2. UN proper shipping name</b>	
	CORROSIVE LIQUID, N.O.S. (Contains Phosphoric Acid)
<b>14.3. Transport hazard class(es)</b>	
ADR/RID	8
Subsidiary risk	-
IMDG	8
Subsidiary risk	-
IATA	8
Subsidiary risk	-
<b>14.4. Packing group</b>	
Packing group	III
<b>14.5. Environmental hazards</b>	
Environmental hazards	No
Marine pollutant	No
<b>14.6. Special precautions for user</b>	
	No additional special precautions.
<b>14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code</b>	
	Not applicable.

<b>ADR/RID</b>	
Hazard ID	80
Tunnel Category	(E)
<b>IMDG</b>	
EmS Code	F-A S-B
<b>IATA</b>	
Packing Instruction (Cargo)	856
Maximum quantity	60 L
Packing Instruction (Passenger)	852
Maximum quantity	5 L

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

<b>Regulations</b>	<p>REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.</p> <p>COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.</p>
--------------------	--

## Pine Acid Toilet Cleaner

Revision 12

Revision date 2020-09-23

## 15.2. Chemical safety assessment

No information available.

## SECTION 16: Other information

## Other information

<b>Revision</b>	<p>This document differs from the previous version in the following areas:.</p> <ul style="list-style-type: none"> <li>1 - Description.</li> <li>1 - Product Use.</li> <li>2 - 2.1.2. Classification - EC 1272/2008.</li> <li>2 - SUPPLEMENTAL HAZARD INFORMATION.</li> <li>3 - Active Ingredients.</li> <li>5 - 5.2. Special hazards arising from the substance or mixture.</li> <li>5 - 5.3. Advice for firefighters.</li> <li>7 - 7.3. Specific end use(s).</li> <li>8 - Skin protection - Handprotection.</li> <li>8 - Eye / face protection.</li> <li>10 - 10.4. Conditions to avoid.</li> <li>10 - 10.6. Hazardous decomposition products.</li> <li>10 - 10.5. Incompatible materials.</li> <li>11 - Acute toxicity.</li> <li>12 - 12.1. Toxicity.</li> <li>12 - 12.4. Mobility in soil.</li> <li>12 - 12.3. Bioaccumulative potential.</li> <li>12 - 12.5. Results of PBT and vPvB assessment.</li> </ul>
<b>Data sources</b>	<p>Classification and Procedure used to derive the classification for mixtures according to Regulation (EC) No. 1272/2008:.</p> <p>Skin Corr. 1A: H314 - Causes severe skin burns and eye damage. - Extreme pH - <math>\leq 2.0</math>.</p>
<b>Text of Hazard Statements in Section 3</b>	<p>Met. Corr. 1: H290 - May be corrosive to metals.</p> <p>Skin Corr. 1A: H314 - Causes severe skin burns and eye damage.</p> <p>Flam. Liq. 3: H226 - Flammable liquid and vapour.</p> <p>Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways.</p> <p>Skin Irrit. 2: H315 - Causes skin irritation.</p> <p>Skin Sens. 1: H317 - May cause an allergic skin reaction.</p> <p>Aquatic Acute 1: H400 - Very toxic to aquatic life.</p> <p>Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.</p> <p>Flam. Sol. 2: H228 - Flammable solid.</p> <p>Acute Tox. 4: H302+H332 - Harmful if swallowed or if inhaled</p> <p>STOT SE 2: H371 - May cause damage to organs .</p> <p>Eye Dam. 1: H318 - Causes serious eye damage.</p> <p>Acute Tox. 4: H302 - Harmful if swallowed.</p> <p>Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.</p> <p>EUH066 - Repeated exposure may cause skin dryness or cracking.</p> <p>Flam. Liq. 2: H225 - Highly flammable liquid and vapour.</p>
<b>Further information</b>	<p>The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.</p>